

4507

CE




2009.69 (eng)

Horizontally sliding window for indoor installations


Horizontally sliding , electrically operated window for indoor installation. The sliding window has an aluminium frame and can be equipped with glass up to 6,5 mm thick. In its standard version, the sliding window is satin anodized and equipped with 6 mm float glass. The frame can be finished by powder coating or anodizing in other colours. The sliding window is automatically locked in closed position. Operated by control switch with hold to run buttons.




EXAMPLES OF VERSIONS



OX (O=Fixed glass, X=Sliding glass)



XO



OLXO




XOOX



XOX



OXRO



OXXO



O



XO with overhead light

TECHNICAL INFORMATION

NAME	4507
DESCRIPTION	Horizontally sliding, electrically operated window for indoor installations.
WIDTH	Customers choice.
HEIGHT	Customers choice. If the height of the sliding section exceeds 1500 mm we recommend model 6018 instead.
FRAME THICKNESS	45 mm
WIDTH SIDE POSTS	45 mm (48 mm on windows with overhead light).
HEIGHT TOP PROFILE	30 mm (45 mm on windows with overhead light).
HEIGHT OF BOTTOM PROFILE	3 mm (plus a 6 mm guide on windows with version OXXO).
GLASS FRAMES	20 mm
CONSTRUCTION	Motor, transmission and automatic locking are integrated within the frame.
LOCKING	Mechanical lock which automatically locks the window in closed position. Options: key lock.
POWER SUPPLY	230 V AC transformer. Options: battery backup.
CONTROL SYSTEM	Electromechanical control system with hold to run buttons. Options: S3 control system (with soft start/stop, adjustable speed, optional push-and-release buttons, optional alarm closing, etc) and various control switches.
GLASS	6 mm float glass is standard. Other glass up to 6,5 mm thick is available as an option, such as 6 mm hardened or 6 mm laminated glass.
SURFACE COATING	Satin anodized aluminium is standard. Other surface coatings available as an option are powder coating or anodizing in various colours.
MANUFACTURED BY	Svalson AB, Sweden

Visit www.svalson.com for more information.

Design and material subject to change without prior notice.

